

Department of Statistics and Biostatistics  
Rutgers University  
501 Hill Center/Busch Campus  
110 Frelinghuysen Road, Piscataway NJ 08854

### Seminar

**Speaker:** Richard A. Davis  
Columbia University  
[rdavis@stat.columbia.edu](mailto:rdavis@stat.columbia.edu)

**Title:** Structural Break Detection in Time Series Models

**Date:** Wednesday, October 31  
**Time:** 3:20 PM  
**Place:** 552 Hill Center

### Abstract

Much of the recent interest in time series modeling has focused on data from financial markets, from communications channels, from speech recognition and from engineering applications, where the need for non-Gaussian, non-linear, and nonstationary models is clear. With faster computation and new estimation algorithms, it is now possible to make significant inroads on modeling more complex-phenomena. In this talk, we will develop estimation procedures for a class of models that can be used for analyzing a wide range of time series data that exhibit structural breaks. The novelty of the approach taken here is to combine the use of genetic algorithms with the principle of minimum description length (MDL), an idea developed by Rissanen in the 1980s, to find "optimal" models over a potentially large class of models.

This methodology will be demonstrated in a number of applications. In addition to fitting piece-wise autoregressive models, which works well even for locally stationary models that are smooth, we will also consider extensions to piece-wise nonlinear models including stochastic volatility and GARCH models.

(This research is joint with Thomas Lee and Gabriel Rodriguez-Yam.)

**Refreshments:** 2:50 PM, 502 Hill Center

